



## Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at <http://about.jstor.org/participate-jstor/individuals/early-journal-content>.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact [support@jstor.org](mailto:support@jstor.org).

**DENTARIA LACINIATA.**—In Vol. I. of the GAZETTE I notice some remarks on variations in *Dentaria laciniata*, Muhl. A year ago while botanizing in Williamstown, Mass., I came across a few plants which had very much the aspect of *D. diphylla*, L., having the two alternate leaves with ovate leaflets, but the lateral leaflets of the stem leaves were 2-parted and the terminal 3-lobed; the lateral leaflets of the root leaves 2-divided and the terminal 3-parted. The divisions were cut-toothed or even lobed. The root stock seemed to be intermediate between that of *D. diphylla* and of *D. laciniata*. I consulted with the late Prof. Tenney and he thought it might be *D. laciniata*, but as this had never been found before in Williamstown, and *D. diphylla* was very common near it, I put it in my herbarium with the name *D. diphylla*, L. This spring I sent a specimen to Dr. Gray, who replied, "One of the least laciniate forms of *D. laciniata*." The "Manual" says: "All these species except the first (*D. maxima*, Nutt., *D. heterophylla* Nutt., *D. laciniata*, Muhl., and *B. multifida*, Muhl.) probably run together." The query arises in my mind, Why except the first? The "Manual" also says of *D. diphylla*, "petals white." I have found them often with a decidedly pink coloring. Perhaps this will be a partial answer to Mr. Meehan's question in the GAZETTE of February, 1877. I hope Botanists will study up the variations in this genus and report results.—C. H. FORD.

**RECENT PUBLICATIONS.**—*American Journal of Science and Arts*, April.—There is a short review of the "Flora of Tropical Africa; by Daniel Oliver. Vol. III. *Umbelliferae* to *Ebenaceae*." The order of Compositae is represented by 117 genera, 17 being peculiar to this Flora. The only large genus is *Vernonia*, with 78 species.

*The American Naturalist*, May.—W. J. Beal has an interesting illustrated paper on the "Hairs and Glandular Hairs of Plants, their Forms and Uses."

*Bulletin of the Torrey Botanical Club*, March.—Prof. O. R. Willis has an article on the "Growth of Exogens," and Mr. N. L. Britton gives quite an extensive table on the subject of the fall of leaves.

*List of Native and Exotic Ferns in the Green-Houses and Grounds of J. Warren Merrill, Cambridge, Mass.*—This is quite a formidable list and surely shows great labor on the part of the proprietor and no sparing of expense. Mr. Merrill wishes to exchange dried fronds with those who have new varieties in duplicate.

*A Catalogue of the Flowering Plants and Higher Cryptogams growing without cultivation within thirty miles of Yale College.* Published by the Berzelius Society.—This is an elegantly published list prepared by the students of the Sheffield Scientific School. There is an introduction by Prof. D. C. Eaton, and also a good map of the territory embraced. The Phaenogams foot up 1,233 species, the Cryptogams (including *Acrogens*, *Musci* and *Hepaticae*) 273, making 1,506 species enumerated in the catalogue.

*Proceedings of the Academy of Natural Sciences of Philadelphia*, Part III.—September, October, November and December, 1877.

*Ferns of North America* by Prof. Daniel C. Eaton, Parts IV and V.—This publication is making its appearance much more promptly than was expected and the double number before us shows as fine workmanship as any of the preceeding numbers. If anything, the plates are finer than before and the ferns lie as fresh before you as if just pressed. This number contains plates and descriptions of *Aspidium Nevadense*, Eaton (n. sp.), *Pellaea densa*, Hook., and *P. pulchella*, Fee., *Cheilanthes viscida*, Davenport, and C. *Clevelandii*, Eaton, *Asplenium unitum*, R. Br., *Aneimia Mexicana*, Klotzch, and *A. adiantifolia*, Swartz, *Asplenium Ruta-muraria*, L., and *A. Septentrionale*, Hoffm. Our only objection is that the plate of *Asplenium unitum* is so large that it does not allow any room for trimming when we come to bind.